



Easy to Install

- ✓ Tracks are flush to the floor surface
- ✓ Sealed surface: no screws-no holes
- ✓ Peel and stick Gerflor can be used for fast Installation
- ✓ Uniform spacing - Standard L Track (Pitch 5.85")
- ✓ Reduce cost & weight by using No-track panels
- ✓ Only 2 legs required to mount a Double Seat (also allows space to mount an under-seat heater)



Built in USA



21455 Melrose Ave, Suite 19, Southfield, MI 48075




www.paretoas.com

Flexible Aluminum flooring at the Cost of plywood


ALFO is a cost viable alternative to plywood, that comes in kits precut to fit the OEM floor. ALFO's fast assembly process, integrated Tracks and 1.575" (40mm) height allows installation of a finished floor (including a non-skid surface) in as little as 1 hour.

A double seat installed in the ALFO floor passes all FMVSS safety requirements with only 2 seat legs!

An installer can choose up to 11 L-Track panels on Ford Transit and 12 L-Track Panels on Promaster, or combine ALFO's No-track panels to reduce cost and weight.



Standard Freedman seat leg



ALFO offers 2 types of Standard panels



CNC MACHINED

Anti-skid grooves



L-Track Panel

NO-Track Panel
35% lighter and less expensive



WB 148 :
Passenger Wagon

WB 148 EL DRW:
Passenger Wagon

WB 148 :
CARGO VAN

WB 148 EL DRW:
CARGO VAN

WB 159

WB 159 EXT

Fast and Easy to Move Seats, 3 ways



Manual Foot

Minutes and simple with common hand tools

Quick Release

Flip Lever, Lift and Roll, no tools

Slider

Easiest and Fastest, Turn Lock and Easy Slide, no lifting, no tools



FORD SEATS



SINGLE SEAT LEGS

DOUBLE SEAT LEGS

TRIPLE SEAT LEGS

